

# EH 528

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830  
Issue date: 12/6/2023 Version: 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : EH 528

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use  
Use of the substance/mixture : Welding and soldering products, flux products

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Oerlikon Kaynak Elektrodları ve Sanayi A.Ş.  
Organize Sanayi Bölgesi, 2. Kısım No: 23  
P.O. Box 45030  
Manisa - Türkiye  
T +90 236 226 26 00  
[info@magmaweld.com](mailto:info@magmaweld.com) - [www.magmaweld.com](http://www.magmaweld.com)

#### 1.4. Emergency telephone number

Emergency number : 444 93 53

Country	Organisation/Company	Address	Emergency number	Comment
France	Centre Antipoison et de Toxicovigilance de Paris Hôpital Fernand Widal	200 rue du Faubourg Saint-Denis 75475 Paris Cedex 10	+33 1 40 05 48 48	
Germany	Giftnotruf der Charité - Universitätsmedizin Berlin CBF, Haus VIII (Wirtschaftgebäude), UG	Hindenburgdamm 30 12203 Berlin	+49 (0) 30 19240	
Portugal	Centro de Informação Antivenenos Instituto Nacional de Emergência Médica	Rua Almirante Barroso, 36 1000-013 Lisboa	+351 800 250 250	
Russia	Информационно-консультативный центр по токсикологии (RTIAC) Министерство здравоохранения Российской Федерации	3 Сухаревская Площадь Блок 7 129090 г. Москва	+7 495 628 1687 (только на русском)	
Turkey	Ulusal Zehir Merkezi (UZEM) Refik Saydam Hfzıssihha Merkezi Başkanlığı	Cemal Gürsel Cd. No: 18 Sihhiye Çankaya 06590 Ankara	114	Information is provided to public and medical personnel on poisoning incidents via 114.
United Kingdom	National Poisons Information Service (Newcastle Centre) Regional Drugs and Therapeutics Centre, Wolfson Unit	Claremont Place Newcastle-upon-Tyne NE1 4LP Newcastle	0344 892 0111	

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation Not classified  
Serious eye damage/eye irritation Not classified  
Skin sensitisation Not classified  
Carcinogenicity Not classified  
Specific target organ toxicity (repeated exposure) Not classified  
Full text of H statements : see section 16

# EH 528

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

No labelling applicable

### 2.3. Other hazards

Other hazards not contributing to the classification : Avoid dust formation. Do not breathe dust. Avoid contact with skin and eyes. In welding process: heat, radiation, electric shock and welding fumes may cause hazards. Persons with a pacemaker should not go near welding or cutting operations. Welding: May cause fire.

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
chromium	(CAS-No.) 7440-47-3 (EC-No.) 231-157-5	≤ 40	Not classified
Manganese	(CAS-No.) 7439-96-5 (EC-No.) 231-105-1	≤ 20	Not classified
Calcium carbonate	(CAS-No.) 1317-65-3 (EC-No.) 215-279-6	≤ 15	Not classified
Calcium Flouride	(CAS-No.) 7789-75-5 (EC-No.) 232-188-7	≤ 15	Not classified
Rutile	(CAS-No.) 1317-80-2 (EC-No.) 215-282-2	≤ 10	Not classified
Magnesium oxide	(CAS-No.) 1309-48-4 (EC-No.) 215-171-9	≤ 10	Not classified
Aluminium silicate (Kaolin)	(CAS-No.) 1332-58-7 (EC-No.) 310-194-1	≤ 10	Not classified
Feldspar	(CAS-No.) 68476-25-5 (EC-No.) 270-666-7	≤ 10	Eye Irrit. 2, H319 STOT SE 3, H335
Mullite	(CAS-No.) 1302-93-8 (EC-No.) 215-113-2	≤ 10	Not classified
Molybdenum	(CAS-No.) 7439-98-7 (EC-No.) 231-107-2	≤ 10	Not classified
strontium carbonate	(CAS-No.) 1633-05-2 (EC-No.) 216-643-7	≤ 5	Not classified
FERROSILICON with 30% or more but less than 90% silicon	(CAS-No.) 8049-17-0 (EC-No.) 617-088-7	≤ 5	Not classified
Mica dust	(CAS-No.) 12001-26-2 (EC-No.) 601-648-2	≤ 5	Not classified
Quartz	(CAS-No.) 14808-60-7 (EC-No.) 238-878-4	≤ 5	STOT RE 1, H372
Potassium Silicate	(CAS-No.) 1312-76-1 (EC-No.) 215-199-1	2 – 5	Skin Irrit. 2, H315 Eye Dam. 1, H318
Sodium Silicate	(CAS-No.) 1344-09-8 (EC-No.) 215-687-4	2 – 5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335
Niobium	(CAS-No.) 7440-03-1 (EC-No.) 231-113-5	≤ 5	Not classified
Vanadium	(CAS-No.) 7440-62-2 (EC-No.) 231-171-1	≤ 5	Not classified
Tungsten	(CAS-No.) 7440-33-7 (EC-No.) 231-143-9	≤ 5	Flam. Sol. 1, H228 Self-heat. 2, H252

# EH 528

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Boron	(CAS-No.) 7440-42-8 (EC-No.) 231-151-2	≤ 5	Not classified
nickel	(CAS-No.) 7440-02-0 (EC-No.) 231-111-4 (EC Index-No.) 028-002-00-7	≤ 2	Carc. 2, H351 STOT RE 1, H372 Skin Sens. 1, H317
trisodium hexafluoroaluminate(cryolite)	(CAS-No.) 15096-52-3 (EC-No.) 239-148-8 (EC Index-No.) 009-016-00-2	≤ 1	STOT RE 1, H372 Acute Tox. 4 (Inhalation), H332 Aquatic Chronic 2, H411
antimony trioxide	(CAS-No.) 1309-64-4 (EC-No.) 215-175-0 (EC Index-No.) 051-005-00-X	≤ 1	Carc. 2, H351

Full text of H-statements: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.  
First-aid measures after skin contact : Wash skin with plenty of water.  
First-aid measures after eye contact : Rinse eyes with water as a precaution.  
First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

No additional information available

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

- Suitable extinguishing media : Water spray. Dry powder. Foam.  
Unsuitable extinguishing media : Strong water jet.

#### 5.2. Special hazards arising from the substance or mixture

- Reactivity in case of fire : At high temperature may liberate dangerous gases.  
Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : No open flames. No smoking. Use special care to avoid static electric charges. Eliminate every possible source of ignition. Access forbidden to unauthorised personnel. Use protective clothing.

##### 6.1.1. For non-emergency personnel

- Protective equipment : Wear suitable protective clothing.  
Emergency procedures : Ventilate spillage area.  
Measures in case of dust release : In case of dust production: protective goggles. Dust mask.

##### 6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".  
Emergency procedures : Avoid contact with skin and eyes. Do not touch spilled material. Evacuate unnecessary personnel. Keep away from combustible material. Keep public away from danger area. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. Ventilate area. Stop leak if safe to do so.

#### 6.2. Environmental precautions

Avoid release to the environment. Do not allow to enter drains or water courses.

#### 6.3. Methods and material for containment and cleaning up

- For containment : Comply with the safety instructions. Soak up with inert absorbent material (for example sand, sawdust, a universal binder, silica gel). Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.  
Methods for cleaning up : Mechanically recover the product.  
Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

# EH 528

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Additional hazards when processed	: Use adequate ventilation to keep vapour concentrations below applicable standard.
Precautions for safe handling	: Ensure good ventilation of the work station. Wear personal protective equipment.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Comply with applicable regulations.
Storage conditions	: Store in a well-ventilated place. Store in dry protected location to prevent any moisture contact. Store in a dry place.
Heat and ignition sources	: Do not smoke. KEEP SUBSTANCE AWAY FROM: ignition sources. heat sources.
Information on mixed storage	: Keep away from food, drink and animal feeding stuffs. No contact with: strong acids, strong bases and strong oxidants.
Storage area	: Avoid: Moisture.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Rutile (1317-80-2)		
EU	Local name	Rutile Titanium dioxide
EU	Notes	(Ongoing)
EU	Regulatory reference	SCOEL Recommendations
Germany	TRGS 910 Acceptable concentration notes	

Quartz (14808-60-7)		
EU	Local name	Silica crystalline (Quartz)
EU	IOELV TWA (mg/m <sup>3</sup> )	0.05 mg/m <sup>3</sup> (respirable dust)
EU	Notes	(Year of adoption 2003)
EU	Regulatory reference	SCOEL Recommendations
Germany	TRGS 910 Acceptable concentration notes	

Manganese (7439-96-5)		
EU	Local name	Manganese
EU	IOELV TWA (mg/m <sup>3</sup> )	0.2 mg/m <sup>3</sup> (inhalable fraction) 0.05 mg/m <sup>3</sup> (respirable fraction)
EU	Notes	(Year of adoption 2011)
EU	Regulatory reference	SCOEL Recommendations
Germany	TRGS 910 Acceptable concentration notes	

nickel (7440-02-0)		
EU	Local name	Nickel metal
EU	IOELV TWA (mg/m <sup>3</sup> )	0.005 mg/m <sup>3</sup> (respirable fraction)
EU	Notes	(Year of adoption 2011)
EU	European - BGV	3 µg/l Parameter: nickel - Medium: urine
EU	Regulatory reference	SCOEL Recommendations
Germany	TRGS 910 Acceptable concentration notes	

chromium (7440-47-3)		
EU	Local name	Chromium metal
EU	IOELV TWA (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>

# EH 528

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

<b>chromium (7440-47-3)</b>		
EU	Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC
Germany	TRGS 910 Acceptable concentration notes	

### 8.2. Exposure controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### Hand protection:

Protective gloves. EN 374

#### Eye protection:

Safety glasses. EN 166. Where excessive dust may result, wear goggles

#### Skin and body protection:

Wear suitable protective clothing. In case of dust production: dustproof clothing. In case of dust production: head/neck protection. Where contact with eyes or skin is likely, wear suitable protection

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Dust production: dust mask with filter type P1

#### Environmental exposure controls:

Avoid release to the environment.

#### Consumer exposure controls:

Do not eat, drink or smoke during use. Always wash hands after handling the product. Avoid contact with skin and eyes. Avoid contact during pregnancy/while nursing.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Solid.
Colour	: Grey.
Odour	: characteristic.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: ≈ 1500 °C
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: ≈ 7.5
Relative density	: No data available
Solubility	: Insoluble.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Not explosive.
Oxidising properties	: Non oxidizing.
Explosive limits	: Not applicable

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

# EH 528

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7). Moisture. Do not allow contact with water. Avoid dust formation.

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

#### strontium carbonate (1633-05-2)

LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)
---------------	---

#### Mullite (1302-93-8)

LC50 inhalation rat (mg/l)	> 2.19 mg/l air Animal: rat, Animal sex: male, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
----------------------------	--

#### Tungsten (7440-33-7)

LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
---------------	--

LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
-----------------	--

LC50 inhalation rat (mg/l)	> 5.4 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
----------------------------	---

#### (7440-42-8)

LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)
---------------	---

LC50 inhalation rat (mg/l)	> 5.08 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
----------------------------	--

Skin corrosion/irritation : Not classified.

Serious eye damage/irritation : Not classified

Respiratory or skin sensitisation : Not classified.

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified.

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified.

#### strontium carbonate (1633-05-2)

LOAEL (oral, rat, 90 days)	49.6 mg/kg bodyweight Animal: rat, Animal sex: male
----------------------------	---

NOAEL (oral, rat, 90 days)	12.4 mg/kg bodyweight Animal: rat, Animal sex: male
----------------------------	---

#### (7440-42-8)

NOAEL (oral, rat, 90 days)	> 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents)
----------------------------	--

Aspiration hazard : Not classified

# EH 528

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

#### strontium carbonate (1633-05-2)

LC50 fish 1	> 97.45 mg/l Test organisms (species): Cyprinus carpio
LC50 fish 2	> 40.3 mg/l Test organisms (species): Cyprinus carpio
EC50 72h algae (1)	> 43.3 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h algae (2)	> 104.7 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
NOEC chronic fish	≥ 100 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) Duration: '34 d'

#### Tungsten (7440-33-7)

LC50 fish 1	> 181 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 Daphnia 1	> 163 mg/l Test organisms (species): Daphnia magna
NOEC chronic fish	≥ 9.8 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) Duration: '38 d'

#### (7440-42-8)

LC50 fish 1	79.7 mg/l Test organisms (species): Pimephales promelas
LC50 fish 2	74 mg/l Test organisms (species): Limanda limanda
EC50 72h algae (1)	66 mg/l Test organisms (species): Phaeodactylum tricornutum
EC50 72h algae (2)	54 mg/l Test organisms (species): Phaeodactylum tricornutum
NOEC chronic fish	6.4 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) Duration: '34 d'

#### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

No additional information available

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Regional legislation (waste)	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.

### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.2. UN proper shipping name</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

# EH 528

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

### 14.6. Special precautions for user

#### Overland transport

Not applicable

#### Transport by sea

Not applicable

#### Air transport

Not applicable

#### Inland waterway transport

Not applicable

#### Rail transport

Not applicable

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### 15.1.2. National regulations

##### Germany

Regulatory reference : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1)

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG)  
Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

##### Netherlands

SZW-lijst van kankerverwekkende stoffen : Calcium Flouride, Aluminium silicate (Kaolin), Feldspar, Quartz are listed

SZW-lijst van mutagene stoffen : Calcium Flouride, Aluminium silicate (Kaolin), Feldspar are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : Manganese is listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : Manganese is listed

##### Denmark

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product  
The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out



# EH 528

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 16: Other information

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
TLM	Median Tolerance Limit
vPvB	Very Persistent and Very Bioaccumulative

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. ECHA (European Chemicals Agency). Supplier's safety documents.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Carc. 2	Carcinogenicity, Category 2
Carc. Not classified	Carcinogenicity Not classified
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Dam./Irrit. Not classified	Serious eye damage/eye irritation Not classified
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Sol. 1	Flammable solids, Category 1
Self-heat. 2	Self-Heating Substances and Mixtures, Category 2
Skin Corr./Irrit. Not classified	Skin corrosion/irritation Not classified
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. Not classified	Skin sensitisation Not classified
STOT RE 1	Specific target organ toxicity — Repeated exposure, Category 1
STOT RE Not classified	Specific target organ toxicity (repeated exposure) Not classified

# EH 528

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H228	Flammable solid.
H252	Self-heating in large quantities; may catch fire.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H372	Causes damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.

SDS EU (Oerlikon)

*MAGMAWELD DISCLAIMER OF LIABILITY* The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable